In re Application: Thomas Sandelius

Application No.: 10/533,351

Filed: April 29, 2005

Page 2

Amendments to the Claims:

This listing of Claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A display unit for a portable electronic device, comprising:

a substantially transparent display layer having a front side for displaying information and a rear side;

a color filter layer;

a reflector between the color filter layer and the substantially transparent display layer such that no color filter is provided between the reflector and the substantially transparent display layer; and

a lighting system for illuminating the substantially transparent display layer from the rear side via the color <u>filter layer</u>, the lighting system configured to be switched on or off,

wherein the display unit operates in an emissive mode when the lighting system is switched on, wherein the display unit operates in a reflective and/or transflective mode when the lighting system is switched off, and wherein the reflector is on a front side of the color filter layer facing a user the display such that reflected light does not travel through [[the]] a color filter layer when the display unit operates in the reflective mode.

- 2. (Previously Presented) A display unit according to claim 1, wherein the color filter layer is on the rear side of the substantially transparent display layer and the front side of the color filter layer faces the substantially transparent display layer, and wherein the front side of the color filter layer includes at least one reflector.
- 3. (Previously Presented) A display unit according to claim 2, wherein the at least one reflector covers less than 50 % of a total area of the rear side of the color filter layer.

In re Application: Thomas Sandelius

Application No.: 10/533,351

Filed: April 29, 2005

Page 3

- 4. (Previously Presented) A display unit according to claim 2, wherein the at least one reflector covers less than 25 % of a total area of the front side of the color filter layer.
- 5. (Previously Presented) A display unit according to claim 3, wherein the at least one reflector is provided in a center of the front side of the color filter layer.
- 6. (Previously Presented) A display unit according to claim 3, wherein the at least one reflector is provided adjacent to an edge of the front side of the color filter layer.
- 7. (Previously Presented) A display unit according to claim 3, wherein the at least one reflector has a rectangular shape.
- 8. (Previously Presented) A display unit according to claim 3, wherein the at least one reflector has a circular shape.
 - 9. (Currently Amended) A portable electronic device comprising: at least one display unit, comprising:
- a substantially transparent display layer having a front side for displaying information and a rear side;

a color filter layer;

a reflector between the color filter layer and the substantially transparent display layer such that no color filter is provided between the reflector and the substantially transparent display layer; and

a lighting system for illuminating the substantially transparent display layer from the rear side, the lighting system configured to be switched on or off, wherein the display unit operates in an emissive mode when the lighting system is switched on, wherein the display unit operates in a reflective and/or transflective mode when the lighting system is switched off, and wherein the reflector is on a front side of the color filter layer facing a user such that reflected light does not travel through [[the]] a color filter layer when the display unit

In re Application: Thomas Sandelius

Application No.: 10/533,351

Filed: April 29, 2005

Page 4

operates in the reflective mode.

10. (Previously Presented) A portable electronic device according to claim 9, wherein the color filter layer is on the rear side of the substantially transparent display layer and the front side of the color filter layer faces the substantially transparent display layer, and wherein the front side of the color filter layer includes at least one reflector.

- 11. (Previously Presented) A display unit according to claim 4, wherein the at least one reflector is provided in a center of the front side of the color filter layer.
- 12. (Previously Presented) A display unit according to claim 4, wherein the at least one reflector is provided adjacent to an edge of the front side of the color filter layer.
- 13. (Previously Presented) A display unit according to claim 4, wherein the at least one reflector has a rectangular shape.
- 14. (Previously Presented) A display unit according to claim 4, wherein the at least one reflector has a circular shape.
- 15. (Previously Presented) A display unit according to claim 5, wherein the at least one reflector has a rectangular shape.
- 16. (Previously Presented) A display unit according to claim 5, wherein the at least one reflector has a circular shape.
- 17. (Previously Presented) A display unit according to claim 6, wherein the at least one reflector has a rectangular shape.
- 18. (Previously Presented) A display unit according to claim 6, wherein the at least one reflector has a circular shape.